



## PHARMACEUTICALS FILTRATION SYSTEM, POU

The Pharmaceutical filter reduces over 12 pharmaceuticals and compounds including DEET, BPA, hormones, and NSAIDs - ideal for water cooler applications.

The Pharmaceutical filter is certified to NSF/ANSI 42 for the reduction of Chlorine, Taste and Odor and Particulate Class I; NSF/ANSI 53 for the reduction of Cyst and Lead; and NSF/ANSI 401 for the reduction of Microplastics, and pharmaceuticals specified below.

Filter head supplied with 1/4" OD quick connect fittings for convenient connection to cooler using 1/4" OD tubing.

<b>Features:</b>	<ul style="list-style-type: none"><li>Improves the taste and appearance of drinking water</li><li>Water filtration to reduce turbidity, dirt, rust, sediment, and to inhibit scale and corrosion</li><li>Automatic shut-off valve inside the head engages as filter is inserted or removed</li><li>Uses the same filter head as the VersaFilter III System, allowing for easy filter cartridge replacement.</li><li>For cold water supply line only</li></ul>
<b>Certified Claims:</b>	<ul style="list-style-type: none"><li>NSF/ANSI 42 for reduction of Chlorine, Taste, Odor and Particulate Class I</li><li>NSF/ANSI 53 for reduction of Lead and Cysts</li><li>NSF/ANSI 401 for the reduction of Microplastics, Atenolol, Bisphenol A, Carbamazepine, DEET (diethyltoluamide), Estrone, Ibuprofen, Meprobamate, Metolachlor, Naproxen, Nonyl phenol, Phenytoin and Trimethoprim</li></ul>
<b>Temp:</b>	35°F (2°C) to 100°F (38°C)
<b>Flow Rate:</b>	1.50 gpm (5.68 Lpm)
<b>Pressure:</b>	20 psi (1.4 bar) to 125 psi (8.6 bar)
<b>Capacity:</b>	725 gals (2,744L)
<b>Service Life:</b>	12 months
<b>Sediment:</b>	Down to nominal 0.5 micron
<b>Function:</b>	Mechanical/Chemical Filtration
<b>Installation Location:</b>	For indoor use only



### Installation

- Rotate 1/4 turn right or left for installation or removal
- Universal kit shipped with complete instructions and mounting bracket.

### Accessories

- Replacement Cartridge: #041670-001
- Filter Head: #041146-001
- Universal Pharmaceutical Filter Kit, POU: #041253-007

### Certifications/Compliance

- NSF/ANSI 42, 53, 401 and 372

Systems certified for cyst reduction may be used on disinfected water that may contain filterable cysts. Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

MODEL: \_\_\_\_\_ QTY: \_\_\_\_\_

PROJECT: \_\_\_\_\_

CONTACT: \_\_\_\_\_

NOTES: \_\_\_\_\_

APPROVAL: \_\_\_\_\_ DATE: \_\_\_\_\_




Specifications subject to change without notice

**WATER WHERE YOU NEED IT.** / OASIS INTERNATIONAL / 222 East Campus View Blvd., Columbus, OH 43235 / [www.oasiscoolers.com](http://www.oasiscoolers.com) /

For Oasis Water Coolers and Dispensers 1-800-646-2747 Ext. 2 / Customer Service Ext. 1 / Technical Support Ext. 2 / 8.21.25



Pharmaceuticals Filter Head and Cartridge:



Universal Pharmaceuticals Filter Kit Includes:



1. Filter Head Assembly with one Quick-Connect Elbow Fitting

2. Pharmaceuticals Cartridge

3. 1/4" OD Quick-Connect Elbow Fitting

4. #8 x 3/8" Long Hex Head Tapping Blunt Screw (Qty. 2)

5. In-Line Strainer

6. 1/4" OD x 38" Long White Plastic Tubing (Qty. 2)

7. Filter Mounting Bracket